

WHD

Price List 21.01.2009

*Prices subject to change without notice.

Product	Description	ex VAT	inc. VAT
All speakers are priced individually			
AG 240	Surface housing for M 240- white or anthrazite	£ 25.52	£ 29.35
M 240-8	In wall- On wall loudspeaker-40 watt 8 ohm square speaker - interchangeable covers-various colours/ materials available.	£ 161.24	£ 185.43
MICRO2-T6	A miniature 2-way HiFi-box. It features a 70 mm midrange/bass speaker and a 13 mm dome tweeter, and despite of its very small dimensions it impresses with an extraordinary bandwidth and a linear reproduction. The Micro 2 is suitable for rooms with low noise level.	£ 29.29	£ 33.68
Mini 4-8	The tried and tested Mini series has been extended, w/ the addition of the Mini 4 two-way HiFi speaker. The impressive linear frequency response and bass reflex technology enables the box to achieve a good low-frequency reproduction for its size. Due to its wide radiation characteristics a large area can be evenly radiated with just a few of these boxes. For use in low-ceilinged rooms w/ medium noise levels. The Mini 4 WP is weatherproof & can be used outdoors. Various brackets are available for installation. 8 ohm	£ 134.86	£ 155.09
Mini 5-8	A very robust 2-way hifi box. A 90 mm woofer and a 45 mm cone tweeter lead to a very linear frequency response. The 3 mm die-cast case and a 1 mm steel front grille are the reason for the enormous stability. These features make the Mini 5 well suited for public Đ as well as residential buildings. In addition, it provides a two pole spring terminal and a steel U-bracket. 15 watt 8 ohm	£ 63.74	£ 73.30
MX 40-8	Cost-effective, compact 2-way HiFi box for enhanced performance. The unit consists of a 130 mm woofer and a 26 mm dome tweeter. The MX 40 has impressive linear frequency response, and bass reflex technology enables the box to achieve a good low-frequency reproduction for its size. Owing to its wide radiation characteristics a large area can be evenly radiated with just a few of these boxes. For use in low-ceilinged rooms with medium noise levels. Various brackets are available for installation. 40 watt 8 ohm	£ 81.14	£ 93.31
MX 40-T	100 V version of MX 40-8	£ 109.04	£ 125.40
MX 50	Cost-effective 2-way HiFi box for enhanced performance. The unit consists of a powerful 170 mm woofer and 26 mm dome tweeter. The MX 50 has impressive linear frequency response and bass reflex technology enables the box to achieve a good low-frequency reproduction for its size. Owing to its wide radiation characteristics a large area can be evenly radiated with just a few of these boxes. For use in low-ceilinged rooms with medium noise levels. Various brackets are available for installation. 50 watt 8 ohm	£ 92.74	£ 106.65
MX 50-T25	100 V version of MX 50-8	£ 118.96	£ 136.80
SUB 200	Band pass subwoofer conceived especially for the 2-way Box Mini 4 and the Design speaker WL 6/2 or WL 10/2 (L). The band pass principle provides excellent impulse purity and high-efficiency. The SUB 200 is fitted with a 200 mm dual voice coil chassis. It features a stereo connection terminal with two inputs and two outputs. The outputs are switched by a special tuned crossover network for the satellites mentioned above. Other satellites (8 ohms) can also be connected. 2 x 50 watt 8 ohm subwoofer	£ 115.94	£ 133.33

UP 14/20	Standard, high-efficiency ceiling speaker. The unit is distinguished visually by the thin front ring. The UP 14 features an 135 mm fullrange chassis with subcone. For use in rooms with high ceilings (max. 6 m) with medium noise levels. 20 ohms	£ 41.82	£ 48.09
UP 14/2-4	The 2-way installation loudspeaker for tough conditions. The chassis basket is plastic, the magnet is encapsulated in a plastic hood, the cone of the woofer is made of polypropylene and the transformer is cast. The perforated metal cover is made of aluminium. The area of application is therefore in damp areas or outside. 4 ohms.	£ 69.54	£ 79.97
UP 14/2-8	High-efficiency 2-way ceiling speaker for enhanced performance. It features a 166 mm coax chassis that provides linear frequency response. The UP 14/2 should be used in highceilinged rooms (max. 6 m) with medium noise levels. 8 ohms	£ 46.34	£ 53.29
UP 14-4	Standard, high-efficiency ceiling speaker. The unit is distinguished visually by the thin front ring. The UP 14 features an 135 mm fullrange chassis with subcone. For use in rooms with high ceilings (max. 6 m) with medium noise levels. 4 ohms	£ 40.92	£ 47.06
UP 22-20	Large high-efficiency ceiling speaker. The unit is distinguished visually by the thin front ring. The UP 22 features a 210 mm full-range chassis and is distinguished both in the bass range and because of its subcone by brilliant reproduction. The UP 22 has a focussed radiating characteristics and should be used in high-ceilinged rooms (max. 6 m) with medium noise levels. 20 ohms	£ 53.71	£ 61.77
UP 22-4	Same as UP 22-20 but 4 ohms (Packed in Pairs)	£ 103.80	£ 119.37
UP 23-4	Large high-efficiency ceiling speaker strong perforated sheet metal cover. The unit is distinguished visually by the thin front ring. The UP 23 features a 210 mm full-range chassis and is distinguished both in the bass range and because of its subcone by brilliant reproduction. The UP 23 has a focussed radiating characteristics and should be used in high-ceilinged rooms (max. 6 m) with medium noise levels. (Packed in Pairs)	£ 163.05	£ 187.51
UP 23-T10	100 V version of UP 23-4 (Packed in Pairs)	£ 214.86	£ 247.09
UP 26-4	Large high-performance 2-way ceiling speaker for enhanced performance. It features a 205 mm woofer and a 10 mm dome tweeter. This loudspeaker is therefore especially distinguished by its linear frequency response. It should therefore be used in high ceilinged rooms (max. 6 m) with medium noise levels. 4 ohms. (Packed in Pairs)	£ 223.49	£ 257.01
UP 26 SUB-8	Same as above but without dome tweeter for low frequency to support the smaller WHD ceiling loudspeaker.	£ 69.54	£ 79.97
UP 6-20	Ceiling/ installation loudspeaker- design and size corresponds to the commercially available Halogen spotlight, therefore light and sound can be harmoniously integrated. 20 ohms	£ 18.75	£ 21.56
UPM 100-4	Ceiling/ installation loudspeaker- 4 ohms- halogen spotlight size. Suitable for low-ceilinged rooms with low noise levels. (Packed in Pairs)	£ 18.50	£ 21.28
UPM 140-4	Ceiling/ installation loudspeaker- 4 ohms- with 87mm full-range chassis w/ subcone. Suitable for low-ceilinged rooms with low noise levels. (Packed in Pairs)	£ 22.14	£ 25.46
UPM 200 S-4	Standard, high-efficiency ceiling speaker. The unit is distinguished visually by the exceptionally shallow construction of only 5 mm. 4 ohms- with 87mm full-range chassis w/ subcone (Packed in Pairs)	£ 22.69	£ 26.09
WBMX 40	U type bracket for MX 40-8	£ 10.44	£ 12.01



Exclusive Distributors in the UK & Eire
Tel. + 44 (0)1444 258 258
www.polaraudio.co.uk

WBMX 50	U type bracket for MX 50-8	£ 10.44	£ 12.01
WHMX 40	Ball joint mounting for MX 40-8	£ 11.54	£ 13.27
WHMX 50	Ball joint mounting for MX 50-8	£ 11.54	£ 13.27